ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 01 of 05

Depend(R) ODC-Free 330 Adhesive
ADHESIVE 20251

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Depend(R) ODC-Free	330 Adhesive	
Item No.:	ADHESIVE 20251	Part of Kit:	20251
Product Type:	Structural Adhesive		

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredients	CAS No.	010
Heterocyclic methacrylate	2455-24-5	50-55
Polyethylene based rubber	68037-39-8	30-35
Alkyl methacrylate	688-84-6	5-10
METHACRYLIC ACID	79-41-4	5-10
CUMENE HYDROPEROXIDE*	80-15-9	0.1-1
2,6-DI-tert-BUTYL-p-CRESOL	128-37-0	0.1-1
Epoxy resin	25068-38-6	0.1-1
CARBON TETRACHLORIDE*	56-23-5	0.01-0.1

* This component is listed as a SARA Section 313 Toxic Chemical.

Under the Clean Air Act this product is exempted from labeling as an ozone depleting chemical (40 CFR 82.106(b)(1)).

Ingredients which have exposure limits

Exposure Limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
Alkyl methacrylate METHACRYLIC ACID	None 20 ppm TWA 70 mg/m3	None 20 ppm TWA skin 70 mg/m3 skin	25ppm 4 ppm skin 10 ppm skinSTEL
CUMENE HYDROPEROXIDE	None	None	<pre>lppm(6mg/m3) Skin(WEEL)</pre>
2,6-DI-tert-BUTYL-p-CRESOL CARBON TETRACHLORIDE	2 mg/m3 TWA 5 ppm TWA skin 31 mg/m3 skin	± ±	10 mg/m3 None
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	
CARBON TETRACHLORIDE	10 ppm skin 63 mg/m3 skin	None	

10/28/02

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 02 of 05

Product Name:Depend(R) ODC-Free 330 AdhesiveItem No.:ADHESIVE 20251

3. HAZARDS IDENTIFICATION

Toxicity:	Liquid is an eye irritant.
	Vapors may irritate eye, nose and throat.
	Oral LD50 more than 10000 mg/kg.
	Dermal LD50 more than 4000 mg/kg.
Primary Routes of Entry:	Eyes, skin, inhalation
Signs and Symptoms	
of Exposure:	Irritation of eyes, nose, throat.
Existing Conditions	
Aggravated by Exposure:	BHT: skin diseases, asthma
	Carbon tetrachloride: cirrhosis of the liver

Ingredients	Literature Referenced Target Organ and Other	Health Effects		cinog IARC	
Heterocyclic methacryla	e ALG IRR		NO	NO	NO

Polyethylene based rubber	NTO	NO NO NO
Alkyl methacrylate	ALG IRR	NO NO NO
METHACRYLIC ACID	ALG COR IRR	NO NO NO
CUMENE HYDROPEROXIDE	ALG CNS COR IRR MUT	NO NO NO
2,6-DI-tert-BUTYL-p-CRESOL	IRR MUT	NO N/A NO
Epoxy resin	ALG IRR	NO NO NO
CARBON TETRACHLORIDE	AC2 CAR CNS IRR KID LIV SOM	YES 2B NO

Abbreviations

N/A	Not Applicable	2B	Possibly carcinogenic to humans
AC2	ACGIH suspected human carcinogen	ALG	Allergen
CAR	Cardiac	CNS	Central nervous system
COR	Corrosive	IRR	Irritant
KID	Kidney	LIV	Liver
MUT	Mutagen	NTO	No Target Organs
SOM	Some evidence of carcinogenicity		

4. FIRST AID MEASURES

Ingestion:	Do not induce vomiting. Keep individual calm.
	Obtain medical attention.
Inhalation:	Remove to fresh air. If symptoms persist, obtain
	medical attention.
Skin Contact:	Wash with soap and water.
Eye Contact:	Flush at least 15 minutes with water. Obtain
	medical attention.

10/28/02

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET Page 03 of 05

Product Name: Depend(R) ODC-Free 330 Adhesive Item No.: ADHESIVE 20251

5. FIRE FIGHTING MEASURES

Flash Point:Approximately 188°FMethod: Tag Closed CupRecommendedExtinguishing Agents:Carbon dioxide, foam, dry chemicalSpecial FirefightingProcedures:Not availableHazardous Products formedby Fire or Thermal Decomp Toxic chloridesUnusual Fire orExplosion Hazards:None

Explosive Limits: (% by volume in air)Lower Not available (% by volume in air)Upper Not available

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case of spill or leak: Soak up in an inert absorbent. Store in partly filled, closed container until disposal.

7. HANDLING AND STORAGE

Safe Storage: Store below 100°F (Contact Loctite Customer Handling: Keep away from eyes. Avoid breathing of vapors. Avoid prolonged skin contact.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes:	Safety glasses or goggles.
Skin:	Rubber or plastic gloves.
Ventilation:	Provide sufficient local ventilation to maintain
	vapor concentration below TLV
Respiratory	Not available

See Section 2 for Exposure Limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Amber liquid
Odor:	Sharp, irritating
Boiling Point:	More than 300°F
pH:	Does not apply
Solubility in Water:	Slight
Specific Gravity	Approximately 1.1 at 80°F
Volatile Organic Compound	
(EPA Method 24)	68.5%; 754 grams per liter
Vapor Pressure:	Less than 10mm at 80°F

10/28/02

(continued)

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET Page 04 of 05

Product Name:	Depend(R) ODC-Free 330 Adhesive
Item No.:	ADHESIVE 20251

9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Density:	Not available
Evaporation Rate	
(Ether = 1)	Not available

10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Will not occur
Incompatibility:	None
Conditions to Avoid:	Not available
Hazardous Decomposition	
Products (non-thermal):	None

11. TOXICOLOGICAL INFORMATION

See Section 3.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended methods of disposal: Incinerate following EPA and local regulations. EPA Hazardous Waste Number User should perform TCLP testing per 40 CFR 261.24 for D019.

14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)	
Domestic Ground Transport	
Proper Shipping Name:	Unrestricted (Not more than 450 liters); Combustible liquids, n.o.s. (Tetrahydrofurfuryl methacrylate solution)(More than 450 liters)
Hazard Class or	
Division:	Unrestricted (Not more than 450 liters) Combustible liquid (More than 450 liters)
Identification Number:	None (Not more than 450 liters); NA 1993 (More than 450 liters)
Marine Pollutant:	None
IATA	
Proper Shipping Name:	Unrestricted
Class or Division:	Unrestricted
UN or ID Number:	None

HENKEL LOCTITE CORPORATION		10/28/02		
	ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100			
	MATERIAL SAFETY DATA SHEET	Page 05 of 05		
Product Name: Item No.:	Depend(R) ODC-Free 330 Adhesive ADHESIVE 20251			
15. REGULATORY INFORMATION				
CA Proposition 65:	WARNING: This product contains a c the State of California t Epichlorohydrin, Carbon T Chloroform	o cause cancer.		
16. OTHER INFORMATION				
Estimated NFPA(R) Code: Health Hazard: Fire Hazard: Reactivity Hazard: Specific Hazard:	2 2 0 Does not apply			
Estimated HMIS(R) Code: Health Hazard: Flammability Hazard: Reactivity Hazards: Personal Protection:	2 2 0 See Section 8.			
-	trademark of the National Fire Protection Assn. trademark of the National Paint and Coatings Assn.			
Prepared By: Title: Company: (24hr.) Phone: Revision Date:	Stephen Repetto Research Chemist, Environmental Health & Safety Henkel Loctite Corporation, Rocky Hill CT 06067 (860) 571-5100 August 14, 2000 Revision: 0031			